

STRONA, P.A.

Conditions governing the formation of certain banded structures
of ores. Geol. rud. mestorozh. no.3:77-87 My-Je '60.
(MIRA 13:7)

1. Leningradskiy gornyy institut.
(Yakutia--Quartz) (Yakutia--Gold ores)

STROMA, P.A.

Characteristics of the distribution of fluorite deposits in the southern part of eastern Transbaikalia. Izv.vys.ucheb.zav.; geol. i razv. 3 no.4:89-92 Ap '60. (MIRA 13:7)

1. Leningradskiy gornyy institut.
(Transbaikalia--Fluorite)

STRONA, P.A.

Use of the eyepiece OKS-1 comparison when working with the MP-3
and MF-5 microscope. Zap.Vses.min.ob-va 90 no.4:470-480 '61.
(MIRA 14:9)
(Microscopy--Technique)

STRONA, P.A.

Mineral associations of gold in deposits of the Allakh-Yun' region
(Yaku A.S.S.R.). Zap. LGI 42 no.2:78-82 '62. (MIRA 15:6)
(Allakh-Yun' region—Gold ores)

STRONA, P.A.

Sources of low-temperature hydrothermal mineralization in eastern
Transbaikalia. Geol.rud.mestorozh. no.4:97-100 Jl-Ag '62.
(MIRA 15:8)

1. Gornyy institut imeni N.V.Plekhanova, Leningrad.
(Transbaikalia--Ore deposits)

DRYUCHIN, A.I.; MISHCHENKO, A.Yu.; STRONA, P.A.

Determination of the holding capacity of liquid sand carriers used
in hydraulic fracturing. Gaz. delo no.8:7-8 '63. (MIRA 17:3)

1. Ukrainskiy filial Vsesoyuznogo nauchno-issledovatel'skogo insti-
tuta prirodnogo gaza i Khar'kovskiy sovet narodnogo khozyaystva.

AGIPOLY, V. P.; DRYUCHIN, A. S., et al., Editors.

Increasing the productivity of the wells of the Shetelinka and
Tytivak fields. Gost. dezh. no. 10; 9-12 '63. (MIRA 17 4)

1. Gribanovskiy filial Vsesoyuznogo nauchno-issledovatel'skogo
instituta prirodnogo gaza (for Agishev, Dryuchin). 2. Khar'kovskiy
gornoj narodnogo khozyaystva (for Strona).

TRONIN, I. A.; KOLOVYEV, N. S.; SHATROV, G. A.; YAKIR'IN, L. N.

Geology of the southwestern Argun Valley. Study V-156 812
(MURA 1727)
125-156 163

SETEKHEH, A.G.; GORODSKY, V.V.; KALINOV, V.P.; KARAKHANIAN, A.Z.;
G.A.; KARAKHANIAN, A.Z.; KHUFETUL, N.I.; KIFAN, I.O.;
KOGAKIVAN, I.G.; SIZAROV, F.A.; TURGENEV, V.V.;
CHEKHOVICH, Ye.P.; ZHURAVOV, V.I.; ZHUKENOV

{source in original report is: Kursov vsego shkol'ki perevodchikov
Nauchno-tekhnicheskogo otdeleniya. Izdatel'stvo: Naukova Dumka, Kiev, 1985.
T. 1. 1985. 120 s. 22 cm.}

STRONA, F.A.

Reflective property of certain ore minerals in polished sec-
tions. Zap. Vses. min. ob-va 93 no.1:69-72 '64
(MIRA 18:2)

STRONINA, P.A.; SHATKOV, G.A.

Geology of the Berezovo iron ore deposit region (eastern Trans-Baikalia) and its genesis. Geol. i geofiz. no.8:123-130 '64
(NICA 12a2)

L. Vsesoyuznyy nauchno-issledovatel'skiy geologicheskiy institut, Leningrad.

"APPROVED FOR RELEASE: 08/26/2000

CIA-RDP86-00513R001653610005-4

RECORDED BY TELETYPE
AT 1000 WATERSIDE AIRPORT, V.A.

RECORDED BY TELETYPE
AT 1000 WATERSIDE AIRPORT, V.A.
(MIA 16.6)
RECORDED BY TELETYPE
AT 1000 WATERSIDE AIRPORT, V.A.
RECORDED BY TELETYPE
AT 1000 WATERSIDE AIRPORT, V.A.

APPROVED FOR RELEASE: 08/26/2000

CIA-RDP86-00513R001653610005-4"

STRONCZAK, J.-

Briquetting of Ores Fines for Steel Plants. K. Radzwicki, W. Madej, and W. Stronczak. (Prace Glownego Inst. Met., 1951, No. 3, 173-181). [In Polish]. Very good results were obtained in briquetting ore concentrates by Jarcho's method (used in U.S.S.R.) in which fines are mixed with small amounts of iron filings, water, and sodium chloride (0.5-1%). The method is based on corrosion processes which bind ore particles together. The highest strength of briquettes and the shortest time of hardening are obtained when the components are mixed so as to obtain the highest temperature increase during the corrosion process. Best results are obtained if the mix is pressed when at its highest temperature. However, sodium chloride is objectionable due to the destructive influence of alkali on refractory linings. Experiments were therefore made in which CaO, HCl, MgCl₂, H₂SO₄, ferrous sulphate, and spent pickling liquor were used as substitutes for sodium chloride. Investigations were made with ore concentrates containing Fe 71.2%, SiO, 1.57%, CaO 2.29%, MgO 0.43%, PO₄ 13%, and SO₄ 0.039%. In laboratory experiments cylindrical briquettes (dia. and height about 50 mm., weight about 400 g.) were made at a pressure of 250 kg./sq. em. Industrial briquettes (250 X 130 X 65 mm. weighting 6 - 7 kg.) were made on a brick-making machine at the same pressure. Fresh briquettes were left in the air under cover, and samples

G. R.

and spent pickling liquor also gave satisfactory results. When spent liquor is used, the moisture content of the concentrates must not be higher than 3-4%. When H_2SO_4 or spent pickling liquor is used, 0.02 to 0.03% of sulphur is introduced into briquettes. This does not cause serious difficulty in using these briquettes in steelmaking and it is considered less detrimental than the destructive influence of alkali on refractory linings.--V. G.

S.M.

Stronczak W.

Distr: 4E2c

✓ Dressing of lead-zinc ores from Silesia in heavy suspensions. Wojciech Stronczak and Miroslaw Ślusarek (Inst. Non-ferrous metals, Gliwice, Poland). *Rev. mineral* (Bucharest) 9, 147-54(1958).—The minerals as mined contain smithsonite, hemimorphite, cerussite, accompanied by limonite, galena, marcasite, Zn blende, and dolomite. The individual components were analyzed for their sp. wt. After it had been found that a sepn. was possible by using chem. solns. of high sp. wt., such as those contg. xanthogenate, NaCN, and CuCl in various combinations, practical flotation expts. were undertaken, by using a pulp prep'd. from Fe-Si, or (more economical) oxidized Fe-Si refuse. Good results were obtained by using both conical and cylindrical separators, the losses of the various minerals occurring in the tailings being within tolerable limits.

Werner Jacobson

POLAND/Optics - Photography

K

Abs Jour : Ref Zhur Fizika, No 8, 1959, 19287
Author : Stronczak, Wojciech., Orzeszko, Witold
Inst : -
Title : Xerography
Orig Pub : Huthnik (Polska), 1958, 25, No 7-8, 307-310
Abstract : Popular article.

Card 1/1

STROMALKA, J.; PROVATILK,

Group water supply of Kružberk. p. 119.

VODNÍ HOSPODARSTVÍ. (Ustřední správa vodního hospodarství)
Praha, Czechoslovakia
no. 3, Mar. 1959.

Monthly list of East European Acquisitions (EEAI), LG, Vol. 8, no. 7
July 1959
Uncl.

STRONE, I. (Kishinev)

Drivers' competition in Kishinev. Za rul. 14 no.6:23 8 '56.
(MLRA 10:4)

(Kishinev--Automobile racing)

STRONE, I.

In two rounds. Za rul. 16 no.11:24 N '58.

(MIRA 12:1)

1. Glavnny sud'ya avtomobil'nykh serevnovaniy v Kishineve.
(Kishenev--Automobile racing)

SIRKHE, I.S.; KHOCHENKO, R.V.; OSTROVSKIY, L.L.; LUTORHIN, i.,
red.

[for the motor-vehicle driver] Voditelu avtomobilia. Kie-
vskiy, Kartia moldoveniaske, 1965. 165 p. (MIRA 18.15)

MANUSCRIPT

"The Development of Agriculture, Irrigation and Soil Conservation in Central Asia, 1945-1952
and 1953-1954," Vol. 1, No. 1, February 1954, Tashkent, USSR.

Also: "Geographical and Economic Conditions in Central Asia," Vol. 1, No. 3,
March 1954, Tashkent, USSR.

STRONER, A.

Special hitch for mounted cultivation equipment. p. 31. Asoil comvine. p. 33
MECHANISACE ZEMEDELSTVI. Vol. 5, No. 2, Jan. 1955

SO: Monthly East European Accession, (EEAL), LC, Vol. 4, No. 9, Sept. 1955 Uncl.

STRONET, A.

"First mounted disk blow of our own make."

MECHANICKÉ VEMEDE STVI, Praha, Czechoslovakia, Vol. 5, No. 20, October 1955.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 9, September 1959.

Unclassified.

Stroncer, A.

Stroncer, A. Tractors and tillage machinery presently used in inter-row cultivation
.: 321, Vol. 3, No. 6, 1956, Vsetin, Czechoslovakia

SOURCE: EAST EUROPEAN ACCESSIONS LIST (EEAL) VOL 6 NO 4 APRIL 1957

STRONER, A.

Construction of cultivating equipment.

p. 45
Vol. 6, no. 3, Feb. 1956
MECHANISACE ZEMEDELSTVI
Praha

SO: Monthly List of East European Accessions (EEAI), LC, Vol. 5, no. 12
December 1956

STRÖMER, A.

Mounted disc cultivators for the Zetor Super tractors. p. 403. (MECHANISACE
ZEMĚDĚLSTVÍ, Vol. 7, No. 17, Sept 1957, Praha, Czechoslovakia)

SD: Monthly List of East European Accessions (EEL) 10, Vol. 6, No. 12, Dec 1957. Encl.

STRONG, R.P., inzh.

Conference on horizontal-shift hydraulic turbine-generator
units. Energomashinostroenie 8 no.10:43 0 '62. (MIRA 15:11)
(Hydraulic turbines)
(Turbogenerators)

ARKHANGEL'SKIY, V.D., kand. tekhn. nauk; STRONGIN, A.M., inzh.;
ROZHDESTVENSKAYA, I.F., red.; BARSUKOVA, Yu., tekhn.red.

[Devices for making wooden furniture] Prisposobleniya dlja
proizvodstva stoliarnoi mebeli. Moskva, KOIZ, 1951. 211 p.
(MIRA 16:7)

(Carpentry--Tools)

STRONGIN A., inzhener.

New sets of children's furniture. Prom. koop. no. 9:22 S '57.
(Furniture) (MLRA 10:9)

STRONGIN, A.M.; SHEPSHELEVICH, V.L.

Investigating operations for manufacturing bent and sawed-through
parts. Der. prom. 7 no. 5:4-5 My '58. (MIRA 11:7)

1. TSentral'noye mebel'noye konstruktorskoye byuro.
(Woodwork)

STRONGIN, A.M.; SHEPSHELEVICH, V.L.; MEKHTIYEV, T.N.

Plastic films for coating of furniture. Der.prom. 8 no.12:
17-18 D '59. (MIRA 13:5)
(Wood--Finishing) (Plastics)

SHMAKOV, A.T.; GAYTGORI, Sh.Z.; Prinimal uchastiye: Strongin, A.M., inzh.;
KUZNETSOV, G.A., red.; EGGERT, A.P., tekhn. red.

[Manual for a mechanic in furniture factories] Spravochnik mekhanika
mebel'nykh predpriatii. Pod obshchei red. A.M.Strongina. Moskva,
Vses. koop. izd-vo, 1960. 631 p. (MIRA 14:7)
(Furniture industry—Equipment and supplies)
(Machinery—Maintenance and repair)

STRONGIN, A.M.; SHEPSHELEVICH, V.L.; MEKHTIYEVA, T.N.

Synthetic fiber webbing for furniture. Der. orom. 9 no. 4:17-18
(MIRA 13:9)
Ap '60.

1. TSentral'noye mebel'no-konstruktorskoye byuro Glavstandartdoma.
(Furniture) (Textile fibers, Synthetic)

STRONGIN, A.M.; SHEPSHELEVICH, V.L.; MEKHTIYEVA, T.N.

Fastening hardware made from polyamides for use in the manufacture
of furniture. Der.prom. 9 no.9:10-11 S '60. (MIRA 13:8)

1. TSentral'noye mebel'noye konstruktorskoye byuro Glavstandartoma.
(Polyamides) (Furniture)

STRONGIN, A., Inzh.

Built-in closets for apartments. Zhil. stroi. no. 9:31-32
S '61. (MIRA 14:9)
(Czechoslovakia---Clothes closets)

NOVIKOV, Stepan Yakovlevich; STRONGIN, Abram Mironovich; GOLUBEVA,
T.M., inzh., red.; FREGER, D.P., red.izd-va; BOL'SHAKOV, V.A.,
tekhn. red.

[Experience in the manufacture of built-in furniture in enterprises in Czechoslovakia] Opyt proizvodstva vstroennoi mebeli
na predpriatiakh Chekoslovakii. Leningrad, 1961. 23 p.
(Leningradskii Dom nauchno-tehnicheskoi propagandy. Seriia:
Derevoobrabatyvaiushchaia promyshlennosti', no.6)

(MIRA 15:3)

(Czechoslovakia--built-in furniture)

STRONGIN, A.M.

Results of the exhibition of the best furniture samples at
the Exhibition of Achievements of the National Economy of
the U.S.S.R. in 1963. Der. prom. 13 no.5:3-7 My '64.
(MIRA 17:6)
1. Upravleniye mebel'noy promyshlennosti Gosleskomiteta pri
Gosplane SSSR.

STRONGIN, A.M.

-
Results of the exhibition of the best furniture models at the
Exhibition of Achievements of the National Economy of the U.S.S.R.
in 1963. Der. prom. 13 no.7:4-10 Jl '64.

(MIKA 17:11)

I. Upravleniye mebel'noy promyshlennosti Gosleskomiteta.

STRONGIN, B.G.

AUTHORS: Kushta, G. P. and Strongin, B. G.

126-1-37/40

TITLE: On the sub-microscopic structure of metals which crystallise under conditions of vibration. (O submikroskopicheskoy strukture metallov i splavov, kristallizovavshikhsya v usloviyakh vibratsiy).

PERIODICAL: Fizika Metallov i Metallovedeniye, 1957, Vol.5, No.1,
pp.187-188 (USSR)

ABSTRACT: Although vibration effects on crystallisation are being utilised industrially (Refs. 2 and 3), so far, insufficient attention has been paid to the possible changes of the sub-microscopic structure of alloys crystallised inside a vibration field. It is to be anticipated that the improved strength characteristics of alloys which are micro-vibrated during crystallisation is due not only to micro-structural but also to sub-microstructural changes, i.e. to the reduction in size of the mosaic blocks and increase of their angular shifts relative to each other. For verifying these assumptions, the authors investigated the influence of vibrations on the process of crystallisation of zinc and of a zinc-aluminium alloy containing 21% Al. A mechanical vibration set-up was used consisting of a massive wooden base with a d.c. motor of 0.125 h.p., on

Card 1/2

126-1-37/40

On the sub-microscopic structure of metals which crystallise under conditions of vibration.

the shaft of which a sleeve with a mobile eccentric, weighing about 30 g was fitted. The vibration amplitude and frequency were determined by changing the eccentricity of the load and varying the voltage on the motor terminals. The metal was first overheated to 650°C; the vibrator was switched on when the melt temperature was 500°C. Ingots weighing 350 to 370 g were produced at various vibration frequencies and also without vibration. The results of the experiments enabled conclusions to be made on the possibility of choosing optimum vibration regimes at which the microscopic and the sub-microscopic structure will be the most favourable from the point of view of various transformations in the solid phase which will lead to a further strengthening of the alloy. There are 1 figure and 6 references, 3 of which are Slavic.

SUBMITTED: January 30, 1957.

ASSOCIATION: Chernovtsy State University. (Chernovitskiy Gosudarstvennyy Universitet).

AVAILABLE: Library of Congress.

Card 2/2

s/0126/64/017/002/0256/0262

ACCESSION NR: APL017359

AUTHORS: Strongin, B. G.; Kushta, G. P.

TITLE: Internal friction in thermally treated Al-Zn alloys

SOURCE: Fizika metallov i metallovedeniya, v. 17, no. 2, 1964, 256-262

TOPIC TAGS: Al-Zn alloy, Zn, Al, internal friction, thermal treatment, continuous photoregistration method, photoregistration technique, relaxation effect, Al-Zn stress relaxation, phase hardening, hardening, phase transformation, phasal recurrence

ABSTRACT: This report was presented in Voronezh at the Third All-Union Scientific Research Conference on relaxation phenomena in metals and alloys in October 1962. The effect of temperature on the internal friction in some Al-Zn alloys has been studied in order to provide data on the phase transformation and to determine the influence of the alloy state on the temperature-internal friction relationship. It was established that inelastic effects originate in alloys due to phase transformation. These effects are reflected on the temperature curves by the presence of peaks and recurvature points. The internal friction level was found to depend

Card 1/3

ACCESSION NR: APL4017359


on the hardening temperature and to decrease with the temperature increase (in samples containing 10% Zn). The phase transformations observed in these experiments caused a random atomic distribution at the grain boundaries and in the crystals. This phenomenon was responsible for a specific type of viscous metal flow at high temperatures. The random atomic distribution produced the appearance of the specific curve peaks (called "grain-boundary peaks"), the height of which increased with the increase in Zn concentration up to a certain maximum, and dropped subsequently (no peaks were observed with 25% Zn concentration). In all samples the internal friction level was increased at 100-200°C because of the appearance of additional vacancies in the course of hardening. The thermographic analysis method used in this work made it possible to differentiate between the phase transformation peaks and the "grain-boundary peaks" on the curves. During the decomposition of solid Al-Zn solutions, a metastable phase is probably formed. In conclusion the authors express their thanks to Professor B. N. Finkel'shteyn (deceased) who suggested the topic of this investigation and showed a constant interest in this work. Orig. art. has: 4 figures.


ASSOCIATION: Chernovitskiy gosudarstvennyiy universitet (Chernovtsay State University)


Card 2/3

GEL'MAN, B.L., kand. med. nauk; STRONGIN, G.L.

Detection of latent coronary insufficiency in pilots by
means of functional tests. Voen. med. zhur. no.10:53-56
O '65. (MIRA 18:11)







		1ST AND 2ND ORDERS																				3RD AND 4TH ORDERS																			
		PROCESSES AND PROPERTIES INDEX																																							
		<p><i>CA</i></p> <p>Transformation of yellow phosphorus into red. G. M. Stroggin, U.S.S.R. 66,680, July 31, 1940. Molten yellow P is heated at 220-40° under a reflux condenser with a liquid boiling somewhat lower than yellow P, e.g., biphenyl. Red P is subsequently sepd. from the liquid either by filtration or by sedimentation.</p> <p>M. Hoseh</p>																				<p>18</p>																			
COMMON ELEMENTS																																									
Oxygen																																									
MATERIALS INDEX																																									
		ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION																				EXTRACTIVE METALS																			
ECONOMIC INDUSTRIES		183000 MILY OILS																				ADDITIONAL SUBJECTS																			
TANDEM CODE		INDUSTRIAL																				183000 MILY OILS																			
X Y Z U V W A B C D E F G H I J K L M N O P Q R S T		INDUSTRIAL																				ADDITIONAL SUBJECTS																			
X Y Z U V W A B C D E F G H I J K L M N O P Q R S T		INDUSTRIAL																				183000 MILY OILS																			

STRONGIN, G. M.

(b)

U.S.P. 2,424,762 G. M. Strongin, U.S.S.R. 77,399, Dec. 31, 1949.
An improvement in the method of the production of urea from
urethane CO₂; the H₂O is removed from the reaction zone by
means of NH₃ through it. M. Hesch

rr-54
m/s

"APPROVED FOR RELEASE: 08/26/2000

CIA-RDP86-00513R001653610005-4

STRONGIN, G.M.

STRONGIN, G.M.; PISAREV, K.Ye.; ABREIMOV, P.G.; GRISHIN, N.T.; SHISHKINA, A.I.

Zinc phosphide. Patent U.S.S.R. 78, 450, Dec. 31, 1949.
(CA 47 no.20:10816 '53)

APPROVED FOR RELEASE: 08/26/2000

CIA-RDP86-00513R001653610005-4"

USSR/Chemistry - Insecticides

Apr 51

"Kinetics of the Photochlorination of Benzene,"
V. A. Shushunov, G. M. Strongin, Yu. I. Gryzin,
A. V. Kukancv, Inst Chem, Gor'kiy State U

"Zhur Fiz Khim" Vol XXV, No 4, pp 404-408

Worked out methods for photochlorination of C₆H₆ with Hg-arc light ($\lambda = 4360 \text{ \AA}$). Reaction proceeded autocatalytically, requiring induction period from whose temp coeff calcd as 10/kcal/mol. Proposed mech of formation of active centers from which chain reaction starts. Based on reacted C₆H₆ and Cl, product was 95% hexachlorocyclohexane, 5% oily substances.

LC

180T22

STRONGIN, G.M.

In support of production. Khim.mauka i prom. l no.6:722 '56.
(MLRA 10:3)
(Chemical societies)

"APPROVED FOR RELEASE: 08/26/2000

CIA-RDP86-00513R001653610005-4

STRONGIN, E. M.

2

4E4f

¹⁷
Hexachloro-hexane was prepared USSR
105,896, June 28, 1957. The compound is obtained by heating
the chlorination of hexane. To increase the yield of
 γ -isomer, chlorination is carried out in the presence of
 γ -radiation. M. Shabotov, V. M. Shabotov,
tetramethyluranium diisobutylate.

APPROVED FOR RELEASE: 08/26/2000

CIA-RDP86-00513R001653610005-4"

Strongin, G.M.

Hexachlorocyclohexane. G. M. Strongin and N. P. Balobanov. U.S.S.R. 107,062, Aug. 25, 1957. To obtain the title compd. with a γ -isomer content of 15-10%. C₆H₆ is chlorinated in the presence of γ -rays from a radioactive cobalt source. These act as initiators for the reaction

M. Hansen

5
14561
11/13-4E4J

VOL'FKOVICH, S.I., STRONGIN, G.M., REMEN, P.Ye., PISAREV, K.Ye.;
SHISHKINA, A.I.

Methods for the producing of zinc phosphide and its use in the
control of murine rodents. [Trudy] NIUIF no.167:5-31 '60.
(MIRA 13:8)

(Zinc phosphide)
(Rodent baits and repellents)

STRONGIN, G.M.; KULIKOVA, M.N.; PROKHOROVA, M.I.

Extraction of the γ -isomer from hexachloran with coal-tar oils. Zhur.
prikl.khim. 36 no.2:465-467 F '63. (MIRA 16:3)
(Cyclohexane) (Isomers) (Coal-tar products)

KULIKOVA, M.N.; STRONGIN, G.M.; PROKHOROVA, M.I.

Determination of delta-hexachlorocyclohexane by the method of isotope
dilution. Trudy po khim.i khim.tekh. no.1:56-60 '63.
(MIRA 17:12)

KULIKOVA, M.N.; STRONGIN, G.M.; KHOKHLOVA, L.F.

Determination of a gamma-isomer of hexachlorocyclohexane in methanol
solutions of hexachloran by the isotope dilution method. Trudy po khim.
i khim.tekh. no.1:61-64 '63. (MIRA 17:12)

GUR'YEV, I.A.; STRONGIN, G.M.; FINKEL'SHTEYN, Kh.A.

Cryoscopic determination of the gamma-isomer content of hexachloro-
cyclohexane in a highly concentrated hexachloran. Trudy po khim.i
khim.tekh. no.1:65-68 '63. (MIRA 17:12)

STRONGIN, G.M.; KULIKOVA, M.N.; FINKEL'SHTEYN, Kh.A.

Production of highly concentrated hexachloran from a scaly product.
Trudy po khim.i khim.tekh. no.1:69-74 '63.
(MIRA 17:12)

KULIKOVA, M.N.; STRONGIN, G.M.; PROKHOROVA, M.I.

Determination of the alpha-hexachlorocyclohexane content by the isotope
dilution method. Trudy po khim.i khim.tekh. no.1:75-79 '63.
(MIRA 17:12)

STRONGIN, G.M.; KULIKOVA, M.N.; LOMAKINA, V.I.

Cyclic method of preparation of highly concentrated benzene
Report No.3, Trudy po khimii kozhi, tsentr. 1, 93-96 '64.
(MIRA 18 12)

1. Submitted May 27, 1963.

CHERNYIN, G.M., KULIKOV, M.N., PINKEL'SHTEYN, Sh.

Cyclic method of preparation of highly concentrated hexane. Part
Report 4. Trudy po khim. tekhn. i tekhnologii vysokomolekulyarnykh
vysokonetratsionirovannykh sredstv. No. 17-IV. 1963.

Cyclic method of preparation of highly concentrated hexane. Part
Report 5: Effect of heptachlorocyclohexane on the use of
highly concentrated hexachloro. Trudy po khim. tekhn. i
tekhnologii vysokomolekulyarnykh vysokonetratsionirovannykh sredstv. No. 18-IV. 1963.

1. Submitted May 27, 1963.

STRONGIN, G.M.; KULIKOVA, M.N.

Use of radioactive Cl³⁶ in controlling the production and processing
of hexachloran. Atom. energ. 18 no.1:84-85 Ja '65.
(MIRA 18:2)

KERIPOVA, M.M.; STRONGIN, G.M.; FROKHOROVA, N.I.; KERKHOVA, L.F.

Determination of hexachlorocyclohexane isomers by the isotope-dilution method using chlorine-36. Zhur. anal. khim. 21 no.1: 103-109 '66 (MIRA 19:1)

1. Chernorechenskiy khimicheskiy zavod imeni Kalinina, Dzerzhinsk.

YATSENKO, Anatoliy Yevdokimovich, inzh. [deceased]; STRONGIN,
Izrail' Yakovlevich, inzh., nauchn. sotr. Prinimali
uchastiye: BELEVICH, V. B., inzh.; GOLUB' L.G., inzh.;
MITNIK, I.L., inzh. BOLOBAN, N.A., kand.tekhn.nauk,nauchn.red.

[Erecting exterior wall elements of industrial buildings]
Montazh stenovykh ograzhdaiushchikh konstruktsii pro-
myshlennyykh zdanii. Moskva, Stroizdat, 1965. 295 p.
(MIRA 18:5)

1. Nauchno-issledovatel'skiy institut organizatsii, me-
khanizatsii i tekhnicheskoy pomoshchi stroitel'stva (for
Yatsenko, Strongin).

STRONGIN, M.A.

Conference on reclaimed rubber. Kauch. i rez. 18 no.1:60-61 Ja '59.
(MIRA 12:1)

(Rubber, Reclaimed)

YEVSTRATOV, V.; PRASHCHIKIN, V., inzh.; STRONGIN, M., inzh.

Scientific Research Institute of the Tire Industry. Avt.transp. 37
no.1:56-57 Ja '59. (MIRA 12:2)

1. Ispolnyayushchiy obyazannosti direktora Nauchno-issledovatel'skogo
instituta shinnoy promyshlennosti.
(Tires, Rubber--Research)

GUREVICH, A.G.; STRONGIN, M.A.

Regulating the amount of materials used in tire manufacture. Kauch.
i rez. 19 no.6:45-47 Je '60. (MIRA 13:6)

1. Nauchno-issledovatel'skiy institut shinnoy promyshlennosti.
(Tires, Rubber)

STRONGIN, M.A.; SMIRNOVA, L.A.

Development of the tire industry between the 20th and 22d
Congresses of the CPSU. Kauch. i rez. 20 no.9:1-4 S '61.
(MIRA 15:2)

1. Nauchno-issledovatel'skiy institut shinnoy promyshlennosti.
(Tires, Rubber)

SHOKHIN, I.A.; STRONGIN, M.A.

Valuable initiative of the Chekhov Reclaimed Rubber Plant.
Kauch. i rez. 20 no.9:58-59 S '61. (MIRA 15:2)
(Rubber, Reclaimed)

S/138/63/000/001/004/008
A051/A126

AUTHORG: Strongin, M. A., Lebedeva, M. A.

TITLE: Results of the activity in the tire industry

PERIODICAL: Kauchuk i rezina, no. 1, 1963, 38 - 41

TEXT: The Soviet Seven-Year Plan for 1959 - 65 calls for a stepped-up program of the tire industry: creating a stable raw material base, developing the pace of tire production, improving the quality of the finished product. Special emphasis is placed on the production of tires for agricultural machines, automobiles, motorcycles and motor-rollers. All the tire plants, excepting the new ones at Krasnoyarsk, Baku and Dnepropetrovsk, surpassed the production plan for the first three years. Over 100 million rubles were spent in the construction and renovation of tire plants within the 1959 - 61 period. More plants are foreseen for the near future. Natural rubber (NR) is primarily used as the raw material, since 72% of all the raw material, going for truck, bus and tractor tires, is NR. The tire industry uses oil-filled butadiene-styrene rubber of regulated polymerization on a colophony emulsifier to a greater extent, thus reducing the use of

Card 1/2

S/138/63/000/001/004/008
A051/A126

Results of the activity in the tire industry

sodium-butadiene rubber. Stereo-regulated СКИ (SKI) and СКД (SKD) rubbers will appear on the market by 1965 and sodium-butadiene rubber will be discontinued. XAP (KhAP) finely-dispersed carbon black from liquid raw material has gained popularity as a base. New tires have been introduced, such as the MAZ (MAZ), KRAZ 320 - 508 model ИЭВ-12 (KRAZ 320 - 508 model IVaV-12), for the ЗИЛ-164-260-20 model И-702 (ЗИЛ-164-260-20 model I-702); ПАЗ -51-200-20 model И-238 A (GAZ-51-200-20 model I-238A); "Volga", "Moskvich" automobiles. The new tire models have a service life longer by 40 - 50% as compared to 1958 models. The use of metal cord in the tread and breaker has been introduced for truck tires. The Yaroslavl' Tire Plant produces tires for 2.5 ton vehicles, with a radial distribution of the cord threads and with removable tread rings (PC - (RS) type). Over 40 thousand of these tires have been manufactured. Type P (R) tires for trucks and the use of metal cord are also planned. Equipment has been improved. Costs have been reduced. The mass production of the RS and R tires is considered the predominant task of the immediate future. There are 4 tables.

ASSOCIATION: Nauchno-issledovatel'skiy institut shinnoy promyshlennosti
(Scientific Research Institute of the Tire Industry)

Card 2/2

STRONGIN, M.A.

Some results of the work of the carbon black industry from
1959 to 1962. Kauch.i rez. 22 no.4:39-40 Ap '63. (MIRA 16:6)

1. Nauchno-issledovatel'skiy institut shinnoy promyshlennosti.
(Carbon black)

"APPROVED FOR RELEASE: 08/26/2000

CIA-RDP86-00513R001653610005-4

APPROVED FOR RELEASE: 08/26/2000 CIA-RDP86-00513R001653610005-4"

PACHEKHIN, B.Ye.; STRONGIN, M.A., red.

[Establishing technical work standards in a tire-repairing enterprise; a practical aid] Tekhnicheskoe normirovanie truda na shinoremontnom predpriatii. Moskva, Khimiia, 1965. 126 p. (MIRA 18:12)

STRONGIN, P. YA.

PA 20/49T14

USSR/Electricity
Power Lines
Ice Protection

Sep 48

"Use of Reactors to Permit the Use of Electric
Currents to Melt Ice Formations on Power Lines,"
P. Ya. Strongin, Engr, $\frac{1}{4}$ p

"Elek Stants" No 9

Explains how to calculate value of reactor when
feeding cable de-icing circuits from transformer
substations.

20/49T14

STRONGIN, P. YA.

"Drying a Transformer," Elek. Stan., no. 11, 1949.

L 17011-66 EWT(d)/T IJP(c)
ACC NR: AP6004554 SOURCE CODE: UR/0103/66/000/001/0113/0118

AUTHOR: Neymark, Yu. I. (Gor'kiy); Strongin, R. G. (Gor'kiy) 3

ORG: none

TITLE: Search for the extremum of a function by the principle of maximum information

SOURCE: Avtomatika i telemekhanika, no. 1, 1966, 113-118

TOPIC TAGS: automatic control, extremal control, optimal strategy, function extremum

ABSTRACT: The authors analyze a procedure for determining the extremum of a real function $\Phi(x)$ defined on the set x and pertaining to a class of functions Φ in which the a priori distribution $f(\Phi)$ of probabilities that the extremum of function $\Phi(x)$ is at the point $x \in X$ is given. When some additional information I concerning the function $\Phi(x)$ is obtained, then the a priori distribution $f(\Phi)$ is replaced by the a posteriori distribution $f(\Phi|I)$. The entropy $H(x)$ and conditional entropy $H(x|I)$ are considered as the measures of information concerning the location of the extremum. Assuming that there is a set Σ of possibilities σ for obtaining the information concerning function $\Phi(x)$, the process of seeking the extremum consists

Card 1/2

UDC: 621.391.133:519.8

L 17011-66

ACC NR: AP6004554

of a sequence of steps, a certain possibility being used at each step. A set of rules determining which possibility $\sigma \in \Sigma$ is to be utilized at every step is called the strategy S. The search for the extremum is carried out in such a manner that the mathematical expectation of the information obtained at every step concerning the location of the extremum is maximum. The strategy for selecting the possibilities satisfying this requirement is called the optimal strategy. As an illustration of the method, an example is presented in which the set X is taken as the n discrete points of the number axis and the class of functions Φ consists of all possible solutions of a first-order difference equation with random coefficients and random initial conditions. The optimal strategies S_{opt} were determined with the aid of a computer. Orig. art. has: 1 formula. [LK]

SUB CODE: .01/ SUBM DATE: 12Apr65/ OTH REF: 002/ ATD PRESS: 4207

Card 2/2 MQS

L 20591-56 DWT(d)/T/EWP(1) TJP(c)
ACC NR: AP6008515

SOURCE CODE: UR/0280/66/000/001/0017/0026

AUTHOR: Neymark, Yu. I. (Gor'kiy); Strongin, R. G. (Gor'kiy)

ORG: none

LB

10

TITLE: Approach to the problem of searching for the extremum of a function on the basis of the principle of maximum information

SOURCE: AN SSSR. Izvestiya. Tekhnicheskaya kibernetika, no. 1,
1966, 17-26

TOPIC TAGS: automatic control, information theory, minimax problem, function extremum searching

ABSTRACT: A new approach to the problem of searching for the extremum of a function is proposed, using the concepts of information theory. It is assumed that the real function $\Psi(x)$ whose extremum is sought is defined on the set X and belongs to the class of functions Φ in which the a priori distribution $f(\Phi)$ of probabilities $\psi(x)$ that function $\Psi(x)$ has an extremum at the point $x \in X$ is given. Using these facts, the entropy $H(x)$ of the location is introduced. When the additional information I concerning the function $\Psi(x)$ is obtained, the conditional entropy $H(x/I)$ is introduced and the amount of information

Card 1/3

L 20691-66
ACC NR: AP6008515

$$G(x/I) = H(x) - H(x/I) \geq 0$$

(1)

concerning the location of the extremum is derived. Assuming that there is a set Σ of possibilities of obtaining information concerning the function $\Phi(x)$ the search for the extremum consists of a sequence of steps, every one of which utilizes a certain possibility $\sigma \in \Sigma$. Utilization of possibilities σ is coupled with certain losses, therefore, the concept of the "cost" of searching in the form of a real function $T_k = T_k(\sigma_1, \dots, \sigma_k, I_k)$ is introduced. The totality of rules determining which possibility σ is considered. The proposed method consists in determining the search strategy S which corresponds to a relatively small maximum mathematical expectation of $\Phi(x)$ per unit cost of search. Such choice of possibilities is called the principle of maximum information and the corresponding strategy S is called the maximum strategy. Search for optimal strategies by means of electronic computers is presented for models in which classes of functions Φ_1 and Φ_2 consist of functions with one minimum and which are described by first- and second-order difference equations, respectively. The choice of optimal strategies

Card 2/3

L 20691-56
ACC NR: AP6008515

is also analyzed for the class of functions described by first-order difference equations with random parameters. The search for the extremum of the function $\varphi(x)$ in the presence of noise is also considered. The effectiveness of the method presented here is compared with the minimax method of I. Kiefer. Orig. art. has: 2 numbered equations, 6 figures, and 4 tables. [LK]

SUB CODE: 0912 SUBM DATE: 04Oct65/ ORIG REF: 004/ OTH REF: 004
ATD PRESS: 4223

Card 3/3 LK

STRONGIN, S.G., inzhener; KOSMACHEV, S.Ye., inzhener.

Precast reinforced concrete bunkers for electric power stations.
Stroi.prom. 34 no.5:31-33 My '56. (MLRA 9:8)
(Precast concrete) (Hoppers)

SIGALOV, E.Ye., dotsent, kand.tekhn.nauk; STRONGIN, S.G., inzh.

[Principles of planning reinforced concrete construction elements taking into account requirements of the industrialization and economic aspects of construction; a textbook] Osnovy proektirovaniia zhelezobetonnykh konstruktsii zdanii s uchetom trebovaniy industrializatsii i ekonomiki stroitel'stva; uchebnoe posobie. Moskva, Mosk.in-t inzhenerov gorodskogo stroit., 1958. 20 p. (MIRA 11:12).

(Precast concrete construction)

SIGALOV, Emmanuil Yevseyevich; STRONGIN, Semen Grigor'yevich; NOVIKOV,
Ya.A., kand.tekhn.nauk, retsenzent; BEDNYAKOV, N.P., inzh.,
retsenzent; TREPENEMKOV, R.I., kand.tekhn.nauk, nauchnyy red.;
GORYACHEVA, T.V., red.izd-va; GILENSEN, P.G., tekhn.red.

[Reinforced concrete structures] Zhelezobetonnye konstruktsii.
Moskva, Gos.izd-vo lit-ry po stroit., arkhit. i stroit.materialam,
1960. 386 p. (MIRA 14:4)

(Reinforced concrete)

SPRASCHIN, Stepan Grigor'evich; et al. (Eds.), Eds.,
Pravodarnye metody v prochnosti i konstruktsii.
[Practical methods of calculating elements in industrial
construction and civil engineering: a manual for groups
improving their qualifications] Sovremennye metody racheta
pravodarnyykh pravil'nostey i granicheskikh strelitstvov,
uchebnoe posobie dlia grupp povyshenija kvalifikatsii. "Sibkra",
Vlen, nauchnyi stroitel'nyi tekhnikm, 1963. 152 p.
(MIRA 170)

STRONGIN, Semen Grigor'yevich, kand. tekhn. nauk; SERBINOVICH, Pavel Petrovich, dots.; BEGAK, B.A., red.

[Structural elements] Stroitel'nye konstruktsii. Moskva,
Stroiizdat, 1964. 342 p. (MIRA 17:5)

"APPROVED FOR RELEASE: 08/26/2000

CIA-RDP86-00513R001653610005-4

APPROVED FOR RELEASE: 08/26/2000

CIA-RDP86-00513R001653610005-4"

STRONGIN, Sh.V.

Mechanism for lifting and lowering the upper roller of sheet-bending
mills. Mashinostroitel' no.4:29 Ap '63. (MIRA 16:5)
(Bending machines)

WEYSMAN, Mikhail Iosifovich, kand. ekon. nauk, dots.[deceased];
STRONGIN, V.L., red.; PYATAKOVA, N.D., tekhn. red.

[The theory of accounting and the principles of accounting
in the branches of the national economy] Teoriia bukhgalterskogo
ucheta i osnovy bukhgalterskogo ucheta otraspeli narodnogo kho-
ziaistva. Moskva, Gosstatizdat, 1962. 351 p. (MIRA 16:7)
(Accounting)

TITOVA, A.I., prof.; GOLIKOVA, T.M.; OPOCHINSKAYA, B. Yu.; SHCHERBAKOVA, V.D.;
IVANOVA, A.K.; STRONGINA, E.I.; BELOVSKIY, V.B.

Clinical characteristics of adenovirus diseases in children.
Sber. nauch. trud. Ivan. gos. med. inst. no. 28:111-116 '63.
(MIRA 19:1)

1. Iz kafedry detskih bolezney (zav. - prof. A.I. Titova) Yaro-
slavskogo gosudarstvennogo meditsinskogo instituta (rektor - prof.
N. Ye. Varygin).

KOTEL'NIKOV, V.N., kand.tekhn.nauk; CHENTSOVA, K.I., kand.tekhn.nauk;
ZYBIN, Yu.P., doktor tekhn.nauk; KOCHETKOVA, T.S.; ZAKATOVA, N.D.,
kand.tekhn.nauk; GUBAREV, A.S., kand.tekhn.nauk; SHVETSOVA, T.P.,
inzh.; VOROB'IEVA, A.A., kand.tekhn.nauk; MIRSKIY, V.I., inzh.;
NISNEVICH, Ye.A., kand.tekhn.nauk; GOL'DSHTEYN, A.V., inzh.;
KALASHNIKOVA, T.A., inzh.; SHUSTOROVICH, M.L., kand.tekhn.nauk;
MOREKHODOV, G.A., inzh.; ZAKHAROV, S.R., retsenzent; BLAGOVESTOV,
B.K., retsenzent; STRONGINA, O.P., retsenzent; SHMIDT, M.I., re-
tsenzent; ZUYEV, V.T., retsenzent; KOSAREV, M.I., retsenzent;
STEPANOV, I.S., retsenzent; RAMM, S.N., retsenzent; PEVZNER, B.M.,
retsenzent; VEYNBERG, I.A., retsenzent; TURBIN, A.S., retsenzent;
SMIRNOVA, Ye.V., retsenzent; BUGOSLAVSKAYA, L.A., retsenzent;
GAMOVA, A.S., retsenzent; KHANIN, N.M., retsenzent; MURVANIDZE,
D.S., red.; PLEMYANNIKOV, M.N., red.; GRACHEVA, A.V., red.; MEDVEDEV,
L.Ya., tekhn.red.

[Shoemaker's handbook] Spravochnik obuvshchika. Vol.1. Moskva.
Gos.nauchno-tekhn.izd-vo lit-ry po legkoi promyshl. 1958. 540 p.
(MIRA 12:4)

1.Gosudarstvennaya Ordena Lenina i Ordena Trudovogo Krasnogo Znameni
obuvnaya fabrika "Skorokhd" imeni Ya.Kalinina (for Zakharov, Blago-
vestov, Strongina, Shmidt, Zuyev, Kosarev, Stepanov, Ramm, Pevzner,
Veynberg, Turbin, Smirnova, Bugoslavskaya, Gamova, Khanin).
(Shoe manufacture)

BLOSHANSKIY, Yu.M.; VANINA, L.V.; VYKHLYAYEVA, Ye.M.; ZHMAKIN, Konstantin Nikolayevich, prof.; LOTIS, V.M.; MANUILIOVA, I.A.; MOISEYENKO, M.D.; SYAO BI-LYAN' [Hsiao Pi-lien]; STRONGINA, T.N.; TRUYEVTSSEVA, G.V.; SHAKHNOVSKAYA, V.F.; GARVEY, H.H.. red.; NAVROTSKIY, O.G., tekhn. red.

[Physiology and pathology of the menstrual function] Fiziologiia i patologiya menstrual'noi funktsii. Otv. red. K.N. Zhmakin. Moskva, Pervyi Mosk. med. int., 1960. 17⁴ p.
(MIRA 14:5)

1. Sotrudniki kafedry akusherstva i ginekologii 1-go Moskovskogo ordena Lenina Meditsinskogo instituta im. I.M. Secherova (for all except Garvey, Navrotskiy).
(MENSTRUATION)

KOLOMOYTSEV, L.R., dotsent; TUMASHOVA, N.I., kand.med.nauk, assistent;
VIMNICHENKO V.V., assistent; STRONGOVSKAYA, N.V., assistent

Pyoderma in workers of the coal industry in Stalino. Vest.derm.i
ven. 33 no.4:22-26 Jl-Ag '59. (MIRA 12:11)

1. Iz kafedry kozhnykh i venericheskikh bolezney (zav. - prof. A.A.
Kroychik) i kafedry mikrobiologii (zav. - dotsent L.R. Kolomoytsev)
Stalinskogo meditsinskogo instituta (dir. - prof. A.M. Ganichkin).
(OCCUPATIONAL DISEASES)
(PYODERMA, statistics)
(COAL MINING)

STRANGULATED, AND, IN SUMMARY, LEVEL

ISOLATION OF LIPOPROTEIN BACTERIA IN POLYVALENTS WITH THE HELP
OF THE PHAGE TITER INCREASE REACTION. Mikrobiol. zhurn. 26 no.3:
59-62 1962 (MIPA 18:5)

1. Bacteriolytic reaction results.

ZATS, L.B., doktor med.nauk; DRUZHININ, I.D., assistent; STRONGOVSKAYA,
N.V., assistent; OZHIGAR, I.V., laborant

Evaluation of the reaction of the agglutination of virus-coated
bacteria (AVB reaction) in the laboratory diagnosis of trachoma.
Oft.zhur. 15 no.7:413-417 '60. (MIRA 13:11)

1. Iz kafedry glaznykh bolezney i kafedry mikrobiologii Stalinskogo
meditsinskogo instituta imeni A.M.Gor'kogo.
(AGGLUTINATION)
(CONJUNCTIVITIS, GRANULAR)

KOLOMOYTSEV, L. R.; GEONYA, N. I. [Heonia, N. I.]; STRONGOVSKAYA, N. V.
[Stronhova'ka, N. V.]

Method for identifying atypical dysenterial strains. Mikrobiol.
zhur. 24 no.1:60-62 '62. (MIRA 15:7)

(SHIGELLA)

STRONGOVSKAYA, N.V.

Experimental study of the phage titer growth reaction.
Zhur. mikrobiol., epid. i immun. 40 no.2:25-28 F '63.
(MIRA 17:2)
1. Iz kafedry mikrobiologii Donetskogo meditsinskogo
instituta.

STRONIN, M.A.

Factors in the formation of some intrusions in Tien Shan. Trudy
Inst. geol. KirFAN SSSR no.2:63-80 '51. (MIRA 11:6)
(Tien Shan--Rocks, Igneous)

STRONIN, M. H.

Optical properties of potassium-sodium feldspars of
magmatic and metasomatic origin. M. A. Stronin. *Trudy* *Plyg*
Inst. Geol. Kirgis. Filiala Akad. Nauk S.S.R. 1953, No.
4, 67-79; *Referat. Zhur., Geol., Geograf.* 1954, No. 3848.—
Feldspars from granodioritic rocks of Tyan-Shan, partly
formed metasomatically, were studied. One microcline
analysis is given. D. J. Milton